ARIZONA GAME AND FISH DEPARTMENT HERITAGE DATA MANAGEMENT SYSTEM

Animal Abstract Element Code: AFCJC02070

Data Sensitivity: No

CLASSIFICATION, NOMENCLATURE, DESCRIPTION, RANGE

NAME: Catostomus discobolus yarrowi

COMMON NAME: Zuni Bluehead (=Mountain) Sucker, Bluehead Mountain Sucker

SYNONYMS: Catostomus discobolus yarrowi, Minomus jarrovii, Minomus delphinus,

Pantosteus jarrovii, Pantosteus Pantosteus yarrowi

FAMILY: Catostomidae

AUTHOR, PLACE OF PUBLICATION: E.D. Cope, Proc. American Philosophical Society

14: 129-139. 1874.

TYPE LOCALITY: Zuni River, Zuni Pueblo, New Mexico, 1873 (Cope 1874).

TYPE SPECIMEN:

TAXONOMIC UNIQUENESS: Twenty three species in genus *Catostomus*, all found in North America. Six species occur in Arizona. Two subspecies of *C. discobolus* have been discussed, *C.d. discobolus* and *C.d. yarrowi*, the latter being the Zuni population (Smith et al. 1983, Crabtree and Buth 1987). *C.d. yarrowi* origin is likely a hybrid between *C. discobolus* and *C. plebius*.

DESCRIPTION: Generally slender fusiform body with a subterminal mouth. Most individuals do not exceed 200 mm (7.87 in), but a few may attain 250 mm (Hanson, 1980, Propst and Hobbs, 1996). Mouth has fleshy lips and protuberances, particularly on the lower lips. The lips are notched laterally and the medial separation of the lower lip extends nearly to its anterior margin. The posterior margin of the lower lip extends back at an acute angle to the ventral longitudinal median. The lower jaw has a well-developed cartilaginous mandibular ridge that parallels the curvature of the lower lip (Sublette et al., 1990). The caudal peduncle is comparatively thick (ca. 9% of standard length) and the dorsal fin usually has fewer than 10 principal rays (Smith, 1966). There are 42 or fewer post-Weberian vertebrae and 25 or more gill-rackers in the first row on the first pharyngeal arch (Smith et al., 1983). Typically they have fewer than 100 scales in the lateral line (Smith et al., 1983). Young C.d. yarrowi are mottled dark gray-green dorsally and cream-white ventrally. Adults are slate-gray, almost black dorsally and cream-white ventrally. Males, in addition to coarse tubercles on the anal fin and ventral lobe of the caudal fin, develop a distinctive coloration during spawning season; dorsally they are intense black with a bright red lateral band and a white belly (Propst and Hobbs, 1996).

AIDS TO IDENTIFICATION: Cartilaginous scraper in lower jaw. Lips deeply notched at corners. Bluish head in breeding males.

ILLUSTRATIONS:

Line drawing (Cope, 1874)

Color photo (www.nativefish.org)

 $Color\ photo\ of\ species\ (\textit{In}\ \underline{http://www.desertfishes.org/na/catostom/cdiscobo/\underline{I_cdisco.shtml}})$

Color photo of species (In

http://www.utahcdc.usu.edu/rsgis2/Search/Display.asp?FINm=catodisc)

TOTAL RANGE: Endemic to the headwaters of the Little Colorado River in east-central Arizona and west-central New Mexico (especially the Zuni River system).

RANGE WITHIN ARIZONA: Smith (1966) reported the subspecies in four small streams in East Central Arizona. Smith et al. (1979) collected Zuni suckers from East Clear Creek and from Kin Li Chee Creek. As of the early 1980s occurrences apparently reduced to Kin Li Chee Creek. Presence there confirmed in 1987 (Crabtree and Buth) and 2000 when fish were collected for genetic evaluation.

SPECIES BIOLOGY AND POPULATION TRENDS

BIOLOGY: *C.d. yarrowi* live about 4-5 years, maturing around 2 years of age and about 100mm SL. Historically associated with roundtail chub (*Gila robusta*) and speckled dace (*Rhinichthys osculus*).

REPRODUCTION: They spawn in April through late May or early June when water temperature reach 10-15°C. Both sexes mature at about 100mm SL but females are usually lager than males. There is evidence of a bi-modal spawning season. Most females produce 200-300 eggs, but larger females may produce more than 450. Spawning substrate is not known but is presumed to be the interstical spaces of cobble bottomed pools.

FOOD HABITS: Scrapes algae and invertebrates off rocks with cartilaginous scraper.

HABITAT: *C.d. yarrowi* occur in stream reaches having shade and pool and riffle habitats with coarse substrates (e.g. bedrock, boulder, cobble). Usually found in water velocities less than 0.1 meter/sec and in depths ranging from 1-2 m in pools to 30 to 50 cm in pool-runs. Pools often edged by emergent aquatic vascular plants (e.g. willows, cattail). Fry and young fish prefer quite shallow areas like backwaters or near the shore line until strong enough to handle current. Non-native fish rarely present.

ELEVATION: For the species, elevation ranges between 2,000 - 6,760 ft (610 - 2060 m).

AGFD Animal Abstract

STATE STATUS:

OTHER STATUS:

PLANT COMMUNITY: Aquatic. Pools often edged with emergent aquatic vascular plants such as willows and cattails.

POPULATION TRENDS: Populations have shown about a 90% decrease in the last 20 years due to poor watershed management. They are now found only in fragmented, semi-isolated stretches of their former range.

SPECIES PROTECTION AND CONSERVATION

ENDANGERED SPECIES ACT STATUS: LE (USDI, FWS 2014) with Proposed

Critical Habitat

[C (USDI, FWS 2001)]

[C (USDI, FWS 2002, 2004-2011)]

[None USDI, FWS 1996] [C2 USDI, FWS 1991, 1994]

1A (AGFD SWAP 2012)

[WSC, AGFD, WSCA in prep]

None, USDA FS Region 3, 2013

[Forest Service Sensitive USDA, FS Region

3 1999, 2007]

[Forest Service Sensitive at full species level

(USDA, FS Region 3 1988)]

Bureau of Land management Sensitive – full

sp. (USDI, BLM AZ 2010)

Group 4 full species (NNDFW, NESL 2001,

2008)

MANAGEMENT FACTORS: Loss of high quality riverine habitat will decimate population. Logging, road construction, over-grazing, reservoir/irrigation construction and stocking of exotic fish are primary threats.

PROTECTIVE MEASURES TAKEN: In 2006 a Statewide Conservation Agreement was completed and signed by nine natural resource management entities in 2007: U.S. Fish and Wildlife Service, Arizona Game and Fish Department, U.S. Bureau of Reclamation, the Hualapai Tribe, Salt River Project, U.S. Bureau of Land Management, Arizona State Land Department, Arizona Department of Water Resources, The Nature Conservancy, and the U.S. Forest Service (AGFD 2006).

SUGGESTED PROJECTS:

LAND MANAGEMENT/OWNERSHIP: In Arizona, extant populations if present are on the Navajo Nation.

SOURCES OF FURTHER INFORMATION

REFERENCES:

- Arizona Game and Fish Department. In prep. Wildlife of special concern in Arizona. Arizona Game and Fish Department Publication. Phoenix, Arizona. 32pp.
- Arizona Game and Fish Department Native Fish Diversity Review. 1995. Tempe, Arizona.
- Arizona Game and Fish Department. 2006. Arizona Statewide Conservation Agreement for Roundtail Chub (Gila robusta), Headwater Chub (Gila nigra), Flannelmounth Sucker (Catostomus latipinnis), Little Colorado Rover Sucker (Catostomus spp.), Bluehead Sucker (Catostomus discobolus) and Zuni Bluehead Sucker (Catostomus discobolus yarrowi). Phoenix, AZ.
- Arizona Game and Fish Department. 2012. Arizona's State Wildlife Action Plan 2012-2022. Phoenix, AZ.
- Biota Information System of New Mexico web site, http://fwie.fw.vt..edu/states/nmex_main/species.
- Cope, E.D. 1874. On the Plagoterinaw and ichthyology of Utah. Proceedings of the American Philosophical Society 14: 129-139.
- Crabtree, C.B. and D.G. Buth. 1987. Biochemical systems of the catostomid genus *Catostomus*: assessment of *C. clarki, C. plebius*, and *C. discobolus* including the Zuni sucker, *C.d. yarrowi*. Copia 1987: 843-854.
- Hanson, B.L. 1980. Fish survey of the streams of the Zuni River Drainage, New Mexico. Unpublished Report, U.S. Fish and Wildlife Service, Albuquerque, New Mexico. 49 pp.
- Navajo Nation Fish and Wildlife Department. 2001. Navajo Endangered Species List. P. 3.
- Navajo Nation Fish and Wildlife Department. 2008. Navajo Endangered Species List. P. 3.
- New Mexico Game and Fish web site, http://www.gmfish.state.nm.us.
- Propst, D.L. 1999. Threatened and Endangered Fishes of New Mexico. Tech. Rpt. No. 1. New Mexico Department of Game and Fish, Santa Fe, New Mexico.
- Propst, D.L. and A.L. Hobbs. 1996. Distribution, Status, and Notes on the Biology on the Zuni Bluehead sucker, *Catostomus discobolus yarrowi*, in the Zuni River Drainage, New Mexico. Conservation Services Division, New Mexico Department of Game and Fish Santa Fe, New Mexico.
- Smith, G.R. 1966. Distribution and Evolution of the North American Catostomid Fishes of the Subgenus *Pantosteus*, Genus *Catostomus*. Misc. Publ. Mus. Zool., Univ. Michigan NO 129.
- Sublette, J.E., M.D. Hatch, and M. Sublette. 1990. The Fishes of New Mexico. University of New Mexico Press, Albuquerque, New Mexico.
- United States Fish and Wildlife Service Arizona Ecological Services Field Office web site, http://arizonaes.fws.gov.
- United States Fish and Wildlife Service Environmental Conservation Online Service, http://ecos.fws.gov.
- USDA, Forest Service Region 3. 1988. Regional Forester's Sensitive Species List.
- USDA, Forest Service Region 3. 1999. Regional Forester's Sensitive Species List.
- USDA, Forest Service Region 3. 2007. Regional Forester's List of Sensitive Animals.

- USDA, Forest Service Region 3. 2013. Regional Forester's List of Sensitive Animals.
- USDI, Bureau of Land Management Region 2. 2010. Arizona BLM Sensitive Species List.
- USDI, Fish and Wildlife Service. 1985. Endangered and Threatened Wildlife and Plants; Review of Vertebrate Wildlife; Notice of Review. Federal Register 50(181).
- USDI, Fish and Wildlife Service. 1991. Endangered and Threatened Wildlife and Plants; Animal Candidate Review for Listing as Endangered or Threatened Species; Proposed Rule. Federal Register 56(225): 58814.
- USDI, Fish and Wildlife Service. 1994. Endangered and Threatened Wildlife and Plants; Animal Candidate Review for Listing as Endangered or Threatened Species; Notice of Review; Proposed Rule. Federal Register 59(219): 58996.
- USDI, Fish and Wildlife Service. 1996. Endangered and Threatened Wildlife and Plants; Review of Plant and Animal Taxa that are Candidates for Listing as Endangered and Threatened Species. Federal Register 61: 7596-7613.
- USDI, Fish and Wildlife Service. 2001. Endangered and Threatened Wildlife and Plants; Review of Plant and Animal Taxa that are Candidates for Listing as Endangered and Threatened Species. Federal Register 66(210): 54808-54832.
- USDI, Fish and Wildlife Service. 2002. Endangered and Threatened Wildlife and Plants; Review of Native Species that are Candidates or Proposed for Listing as Endangered or Threatened; Annual Notice of Findings on Resubmitted Petitions; Annual Description of Progress on Listing Actions. Federal Register 67(114):40674.
- USDI, Fish and Wildlife Service. 2004. Endangered and Threatened Wildlife and Plants; Review of Native Species that are Candidates or Proposed for Listing as Endangered or Threatened; Annual Notice of Findings on Resubmitted Petitions; Annual Description of Progress on Listing Actions. Federal Register 69(86):24897.
- USDI, Fish and Wildlife Service. 2005. Endangered and Threatened Wildlife and Plants; Review of Native Species that are Candidates or Proposed for Listing as Endangered or Threatened; Annual Notice of Findings on Resubmitted Petitions; Annual Description of Progress on Listing Actions. Federal Register 70(90):24929.
- USDI, Fish and Wildlife Service. 2006. Endangered and Threatened Wildlife and Plants; Review of Native Species that are Candidates or Proposed for Listing as Endangered or Threatened; Annual Notice of Findings on Resubmitted Petitions; Annual Description of Progress on Listing Actions. Federal Register 71(176): 53756-53835.
- USDI, Fish and Wildlife Service. 2007. Endangered and Threatened Wildlife and Plants; Review of Native Species that are Candidates or Proposed for Listing as Endangered or Threatened; Annual Notice of Findings on Resubmitted Petitions; Annual Description of Progress on Listing Actions. Federal Register 72(234):69101.
- USDI, Fish and Wildlife Service. 2008. Endangered and Threatened Wildlife and Plants; Review of Native Species that are Candidates or Proposed for Listing as Endangered or Threatened; Annual Notice of Findings on Resubmitted Petitions; Annual Description of Progress on Listing Actions. Federal Register 73(238):75236.
- USDI, Fish and Wildlife Service. 2009. Endangered and Threatened Wildlife and Plants; Review of Native Species that are Candidates or Proposed for Listing as Endangered or Threatened; Annual Notice of Findings on Resubmitted Petitions; Annual Description of Progress on Listing Actions. Federal Register 74(215):57869.

- USDI, Fish and Wildlife Service. 2010. Endangered and Threatened Wildlife and Plants; Review of Native Species that are Candidates or Proposed for Listing as Endangered or Threatened; Annual Notice of Findings on Resubmitted Petitions; Annual Description of Progress on Listing Actions. Federal Register 75(217):69287.
- USDI, Fish and Wildlife Service. 2011. Endangered and Threatened Wildlife and Plants; Review of Native Species that are Candidates or Proposed for Listing as Endangered or Threatened; Annual Notice of Findings on Resubmitted Petitions; Annual Description of Progress on Listing Actions; Notice of Review. Federal Register 76(207):66433.
- USDI, Fish and Wildlife Service. 2014. Endangered and Threatened Wildlife and Plants; Endangered Species Status for the Zuni Bluehead Sucker; Final Rule. Federal Register 79(142): 43132. July 24, 2014.

MAJOR KNOWLEDGEABLE INDIVIDUALS:

Charles O. Minckley - USDI, Fish and Wildlife Service, Parker, Arizona.

David L. Prost - Conservation Services Division, New Mexico Department of Game and Fish, Santa Fe, New Mexico.

ADDITIONAL INFORMATION:

Revised: 2002-10-06 (RHB)

2013-11-14 (BDT)

To the user of this abstract: you may use this entire abstract or any part of it. We do request, however, that if you make use of this abstract in plans, reports, publications, etc. that you credit the Arizona Game and Fish Department. Please use the following citation:

Arizona Game and Fish Department. 20XX (= year of last revision as indicated at end of abstract). X...X (= taxon of animal or plant). Unpublished abstract compiled and edited by the Heritage Data Management System, Arizona Game and Fish Department, Phoenix, AZ. X pp.